

Appendix A: Pre-Test Questions

- 1. What is the primary purpose of the Drug Abuse Screening Test-10 (DAST-10)?
- 2. What is the purpose of the Screening, Brief Intervention, and Referral to Treatment (SBIRT) model?
- 3. What does the "Screening" component of SBIRT typically assess?
- 4. What is the role of Motivational Interviewing (MI) in substance use counseling?
- 5. What does the decisional balance tool in MI help patients explore?
- 6. According to the 2022 CDC Clinical Practice Guidelines, which non-opioid therapy is not recommended for pain management?
- 7. In calculating Morphine Milligram Equivalents (MME), which opioid has a conversion factor equal to 1?
- 8. Which of the following is not an FDA-approved medication for Medication-Assisted Treatment (MAT)?
- 9. Which psychiatric disorder is commonly comorbid in patients with chronic pain?
- 10. According to the 2022 CDC Clinical Practice Guidelines, how often should patients receiving chronic opioid therapy be assessed?

Appendix B: Post-Test Questions

- 1. What is the primary purpose of the Drug Abuse Screening Test-10 (DAST-10)?
- 2. What does a high score (e.g., 9 or 10) on the DAST-10 indicate?
- 3. What is the purpose of the Screening, Brief Intervention, and Referral to Treatment (SBIRT) model?
- 4. What is the goal of the "Brief Intervention" component in SBIRT?
- 5. What does the "Screening" component of SBIRT typically assess?
- 6. What is the purpose of the "Referral to Treatment" component in SBIRT?
- 7. What is the role of Motivational Interviewing (MI) in substance use counseling?
- 8. How does a provider use MI to build patient confidence in change?
- 9. What does the decisional balance tool in MI help patients explore?
- 10. MI help providers increase patient _____?
- 11. According to the 2022 CDC Clinical Practice Guidelines, which non-opioid therapy is not recommended for pain management?
- 12. In calculating Morphine Milligram Equivalents (MME), which opioid has a conversion factor equal to 1?
- 13. At what daily MME threshold does the risk of opioid overdose significantly increase?
- 14. Which of the following is not an FDA-approved medication for Medication-Assisted Treatment (MAT)?
- 15. Which of the following is not a primary goal of MAT?
- 16. Which psychiatric disorder is commonly comorbid in patients with chronic pain?
- 17. Which psychiatric disorder is commonly comorbid in patients with chronic pain?
- 18. According to the 2022 CDC Clinical Practice Guidelines, how often should patients receiving chronic opioid therapy be assessed?
- 19. According to the 2022 CDC Clinical Practice Guidelines, which medication should be prescribed with caution when used concurrently with opioids?
- 20. How does MI help providers increase patient "change talk"?